

Our comprehensive global product lines offer suitable solutions on new construction and maintenance projects for tough and demanding environments.

Our reputable products are tested, validated, field proven and backed by a team of global professionals.

REVOSTRAP

THE 20 SECOND LEAK REPAIR SYSTEM

>>> PRODUCT OVERVIEW

Carbontech introduces the Revostrap smart system to our arsenal to combat enduring site complications of leaking defects. It is not an industry secret that no composite repairs can be wrapped over active leaks. Revostrap smart systems is the answer! The Revostrap smart system is lightweight, cost effective and very simple to use, it is the strongest temporary leak sealing strapping device on the market.

Sept. Sept. Sept.



REVOSTRAP



RS32
REVOSTRAP

Glass Reinforced strapping system
Designed strap around leaking pipes to seal leaks up to 35Bar
Available in 32mm widths



RS-R32: 32mm
REVOSTRAP RATCHET

Designed to tension the Revostrap until the leak has stopped. Available for the 32mm Revostrap systems



RS-SA30-32 **REVOSTRAP 30 BUNG**

Designed for Low pressure, deformed through wall corrosion or heavily pitted and corroded areas



RS-SA50-19
REVOSTRAP 50
BUNG

Designed for med to high pressure, slightly deformed through wall corrosion or pitted and corroded areas



RS-SA80-19
REVOSTRAP 80
BUNG

Designed for high pressure, through wall defects

REVOSTRAP

>> ADVANTAGES

- Fast, non-invasive repair does not require hot work
- Repairs done live no unplanned downtime
- Low profile for composite overwrap
- 20 Second leak repair system

>> USES

- Pinholes
- Illegal Hot Taps
- Welds defects
- Weld anomalies

>> INDUSTRIES

- Oil and gas facilities
- Petrochemical plants
- Chemical plants
- Transmission pipelines



THE CARBONTECH INNOVATIVE PRODUCT RANGE

Revowrap 80	High performance quad-axial glass and carbon fibre pipe wrap system used with ambient temperature 2-part epoxy system.
Revowrap 110	High performance carbon fibre pipe wrap system used with an high temperature 2-part epoxy system.
Revowrap 185	High performance carbon fibre pipe wrap system used with ultra high temperature 2-part epoxy system.
Revowrap 225	High performance carbon fibre pipe wrap system used with ultra high temperature 2-part epoxy system.
Revoshield 124	High performance fibre glass coating system used with super strength 2-part epoxy system.
Revowrap 175 Putty	Medium viscosity high compression strength putty used for the profiling of Revowrap [®] systems.
Revostrap	A 20 second leak repair system for low to medium pressure.
Revomat	An intelligent post cure system for high temperature wrap systems.
SPITZE Clamp	Temporary repair of live high-pressure leaks without having to shut down or isolate the system.





